

SAVE ON SEALANTS & ADHESIVES

BIG SAVINGS ON EVERYDAY ITEMS FOR THE GLASS SHOP...

GLASS HANDLING • SEALANTS & ADHESIVES • BAILING HARDWARE • SHOWER HARDWARE & MUCH MORE!



Heurisi - Silicone

CRL Neutral Cure

CRL MS POLYMER MIRROR FIX

- High guality professional mirror and painted glass adhesive developed with MS Polymer hybrid technology
- Adheres without the use of primer to most non-porous substrates
- Free of isocyanates, solvents, silicones and plasticiser
- No shrinkage
- UV. water, weather and mould resistant
- Mirrors should be mechanically supported while the adhesive is curing
- Colour: White
- 290 ml cartridae
- 12 per case





FROM ONLY £1.90* per cartridge

CAT. NO.	COLOUR	1	12	60	120
EGMSF1X	White	£2.60	£2.39	£2.20	£1.90

* Minimum order: 1 cartridge. Price based on an order quantity of 120 cartridges.





CRL NEUTRAL CURE CONSTRUCTION SILICONE

- Neutral cure. low modulus silicone
- Versatile sealant
- Cures under the influence of humidity to form a durable elastic rubber seal
- · Specifically developed for durable elastic sealing of expansion joints in concrete, brickwork, curtain wall constructions, kitchens, bathrooms, showers, industrial applications and glazing systems
- UV, water, weather and mould resistant
- Available in clear, black and white
- 300 ml cartridae
- 12 per case





CAT. NO.	COLOUR	1	12	120	240
CRLNCSC	Clear	£2.53	£2.32	£2.14	£1.84
CRLNCSBL	Black	£2.53	£2.32	£2.14	£1.84
CRLNCSW	White	£2.53	£2.32	£2.14	£1.84
*Minimum order:	1 cartridge. Price	based on an o	order quant	ity of 240 c	artridges.





CRL GLASS AND MIRROR CLEANER

- Non-smear, fast acting
- Spray-on wipe-off, brilliant finish
- Pleasant aroma
- 660 ml can

WAS £2.15 NOW FROM ONLY £1.68* per can

'OWN LABEL VERSION AVAILABLE UPON REQUEST

PRICE PER CAN

CAT. NO.	COLOUR	12	60	144
EB1701	Glass & Mirror Cleaner	£2.01	£1.83	£1.68

*Minimum order: 12 cans. Price based on an order quantity of 144 cans.



CRL WOOD'S POWR-GRIP® VACUUM LIFTING FRAME

- 280 mm diameter lipped pads
- High holding strength and safe to use due to the dual-circuit suction system
- Load movement: manual rotation 360° edgewise with automatic locking at each 1/4 revolution, assisted manual tilt 90° between upright and flat
- 12V DC

CAT NO

EUMRT411LDC3

- 320 kg lifting capacity
- Can be used with remote control





Powr-Grip CE

£3.733.83

LIFTING CAPACITY

320 ka

CRL WOOD'S POWR-GRIP® SINGLE CHANNEL D.C. VACUUM LIFTING FRAME

- Four 280 mm diameter lipped pads
- 180° edgewise rotation
- High holding strength and safe to use due to the dual-circuit suction system
- 90° tilt. vertical to flat
- 12V DC
- Automatic 'self-test' function ensures that the cups are safely loaded
- New coloured display shows at first glance when a dangerous situation is detected
- Warns of danger with clear visual and audible signals
- Smart-power-managment enables a long lasting battery in a single charge
- Continued monitoring of the battery indicates when the battery level becomes too low
- Multi-stage alarm system assesses the risks in dangerous situations
- 320 kg lifting capacity
- Can be used with remote control EUW94117BM





Powr-Grip CE

CAT. NO.	DESCRIPTION	1
EUP11104DC0	Single Channel D.C. Vacuum Lifting Frame	£2,752.26
Minimum order: 1. Pric	ce based on an order quantity of 1.	

CRL WOOD'S POWR-GRIP® VACUUM LIFTER



CAT. NO.	DESCRIPTION	1
N4000	ABS Handle Vacuum Lifter	£37.59
N4950	Metal Handle Vacuum Lifter	£54.46

*Minimum order: 1 each. Price based on an order quantity of 1 (N4000).

*Minimum order: 1. Price based on an order quantity of 1.

DESCRIPTION

D.C. Manual Rotator/Tilter - 4 pads



CRL ALL TERRAIN DOLLY

- Exclusive to CRL
- Terrific for moving heavy glass panels around the job site
- Goes where other glass dollies won't
- Frame in solid aluminium
- Built in 203 mm Wood's Powr-Grip[®] Vacuum Cup
- Includes a set of our RB200
 Roller Blocks
- 181 kg load capacity





CAT. NO.	DESCRIPTION	1
ATD1	All Terrain Dolly	£462.18

*Minimum order: 1. Price based on an order quantity of 1.

CRL ROUND SUPPORT BAR COMPONENTS

- Components for the fabrication of custom C9 support bars
- Use monolithic tempered glass
- Finish: Chrome

WAS £4.81

NOW FROM ONLY

£4.33*



CAT. NO.	DESCRIPTION	GLASS THICKNESS		
S1CH	1 m Round Support Bar	-	£15.69	£14.1
S4CH	U-Bracket	6 - 8 mm	£15.40	£13.9
S5CH	U-Bracket	10 - 12 mm	£15.40	£13.9
S9CH	Vertical Support Bracket	6 - 8 mm	£8.76	£7.9
S910CH	Vertical Support Bracket	10 - 12 mm	£8.76	£7.9
S12CH	Wall Mount Fitting	-	£4.76	£4.3
SBB45CH	Mitred 45° Bracket	-	£9.46	£7.9
S14CH	Wall Mount Fitting	-	£11.41	£9.4

*Minimum order: 1. Price based on an order quantity of 6 (S12CH).

CRL SQUARE SERIES SUPPORT BAR AND BRACKETS

- Components for the fabrication of custom support bars to meet your exact needs
- · Square tubing matches geometry of many popular CRL hinges
- · Provides fixed panel support for enclosures not going to the ceiling
- 19 mm square tubing
- For 6 to 8 mm toughened safety glass
- Finish: Chrome

S1CH

NOW FRO £6.9 each		SQ59CH	19mm	19mm 19mm
CAT. NO.	DESCRIPTION		6	6 -
SQ59CH	1.5 m Support Bar	£43.11	£39.07	7
SQ41CH	Swiveling U-Bracket	£12.93	£11.77	7
SQ43CH	Movable Bracket	£7.93	£7.23	3
SQ45CH	Adjustable Corner Bracket	£21.23	£17.61	1
SQ46CH	Wall Mount Bracket	£7.70	£6.96	6
*Minimum order	: 1. Price based on an order qu	antity of 6 (SQ46CH).

CRL TALL BASE GLASS CLAMP

- For floor or ceiling mount
- Allows for a large gap between the glass and mounting surface if desired
 WAS \$20.16
- Heavy-duty, solid brass construction
- For 10 to 12 mm toughened glass
- 19 mm diameter hole required
- Includes gaskets and screws

CAT. NO.	FINISH	1	10	50
CMC1CH	Chrome	£21.80	£19.81	£18.14
*Minimum order: 1.	. Price based on an order quantity of 50.			

CRL SHOWER DOOR KNOBS

- For 6 to 12 mm toughened safety glass
- 12 mm diameter hole required



CAT. NO.	DESCRIPTION			50
SDK140CH	Back-to Back E-Z Grip Style	£9.05	£8.11	£7.41
SDK106CH	Back-to-Back Contemporary Style Knob	£13.19	£11.71	£10.57
*Minimum order	1 Price based on an order quantity of 50 (SDK1/0CH)			

CRL BACK-TO-BACK SQUARE STYLE KNOBS



ALTSDK2CH Chrome Back-to-Back Shower Door Knob £8.02 £6.62 £6.17

*Minimum order: 1. Price based on an order quantity of 50.



SQ41CH

10mm

NOW ONLY

£18.14

each

SQ43CH

SQ45CH

SQ46CH

CRL BACK-TO-BACK EURO STYLE KNOBS

- · For 8 to 10 mm toughened safety glass
- 30 x 30 mm knob
- Solid brass material
- Finish: Chrome



WAS £7.82 NOW ONLY £7.04*

CAT. NO.	DESCRIPTION	1	10	50
EUSDK1CH	Back-to Back E-Z Grip Style	£9.88	£8.86	£7.04

*Minimum order: 1. Price based on an order quantity of 50.

CRL ALUMINIUM U-CHANNEL FOR 10 MM GLASS

- Wet glaze with CRL clear silicone to secure glass
- Available in up to 18 finishes
- Depth: 19 mm
- · End caps also available





CAT. NO.	FINISH	LENGTH				80	120
SDCD38BA	Bright Anodised	2.49 m	£10.89	£10.24	£9.23	£8.76	£8.48
SDCD38BN	Brushed Nickel	2.49 m	£11.68	£9.23	£8.76	£8.53	£8.30
SDCD38MBL	Matte Black	2.49 m	£26.76	£23.78	£21.39	£19.45	£17.84
SDCD12BA	Bright Anodised	3.65 m	£11.59	£10.15	£9.23	£8.81	£8.53
SDCD12BN	Brushed Nickel	3.65 m	£12.33	£10.99	£9.66	£9.41	£9.14
SDCD12MBL	Matte Black	3.65 m	£28.30	£25.16	£22.63	£20.57	£18.86

*Minimum order: 1. Price based on an order quantity of 120 (SDCD38BN).

CRL DELUXE SERENITY SERIES SLIDING SHOWER DOOR SYSTEM

CAT. NO

SER78PS

SER78BS

SER78MBL

SER90BS

SER90PS

SER90MBL

SERAHW2BS

SERAHW2PS

SERAHW2MBL

Delux

- Unique 180° system with rollers above and below the header bar
- System features one sliding door and one fixed panel
- Fixed and sliding glass panels are reversible for installation (glass not included)
- Use of minimal hardware gives door an almost floating appearance
- Glass fabrication required
- Accessory kit available for 90° return panels (SER90BS)
- For use with 8 to 10 mm monolithic toughened glass

Deluxe 180 Degree Kit Includes:

- 1 2 m length header support bar
- 4 Rollers
- 1 Stopper
- 2 Track holder fittings for wall
- 2 Track holder fittings for fixed panel
- 1 Thru-alass pull
- 1 Door auide
- 1 2.16 m length clear L-jamb

WAS 2265.48 NOW FROM ONLY £208.00*



Deluxe 180 Degree Kit	Polished Stainless	£229.27	£208.00
Deluxe 180 Degree Kit	Brushed Stainless	£234.00	£210.80
Deluxe 180 Degree Kit	Matte Black	£283.25	£258.53
90 Degree Accessory Kit	Brushed Stainless	£7.98	£7.21
90 Degree Accessory Kit	Polished Stainless	£8.39	£7.67
90 Degree Accessory Kit	Matte Black	£10.20	£9.21
Track Holder Fittings for Wall	Brushed Stainless	£22.25	£20.14
Track Holder Fittings for Wall	Polished Stainless	£25.80	£23.28
Track Holder Fittings for Wall	Matte Black	£29.24	£26.04

*Minimum order: 1. Price based on an order quantity of 6 (SER78PS

				ALC: NOT
		**		
		-		
				-
			1.42	
	-	Constant of the same	- Anton	
		and an and the state	12-1-16-11 h 12	
		Calling and Surgers		
				100
6				
00			SER9	000
80			90° TI	hru-Glass Conne
53				
21				
67				
21				
14			8 mm to) 10 mm
		Maximum	Weight	Door Width
28		Capacities	Weight	
04		Sapaonoo	40 kg	762 mm

NOTE: Do not exceed maximum door weight or width

CRL HYDROSLIDE SERIES SLIDING **SHOWER DOOR SYSTEM**

- Excellent design for compact areas
- Quick and easy installation
- Clean, sleek lines
- Available in four stock finishes, custom finishes also available
- Custom units available by special order
- Glass fabrication required
- For use with 8 to 10 mm monolithic toughened glass

180 Degree Kit Includes:

- 1 Sliding glass door upper track
- 2 Hangers for sliding glass door
- 2 Sliding glass door rollers
- 2 Sliding glass door roller stops
- 1 Sliding glass door floor guide
- 2 90 degree wall-to-upper track connectors
- 2 180 degree glass-to-sliding track connectors
- 1 914 mm half-round SDT980 threshold
- 1 2489 mm DK98L L-seal for wall

NOTE: Bottom fixed glass attachments, handles or knobs must be ordered separately

90 Degree** Wall-to-Glass Accessory Kit Includes:

- 1 90 degree glass-to-sliding track connector
- 1 90 degree wall-to-glass bracket
- **90 degree units require that you order one 180 degree standard kit plus one 90 degree accessory kit

WAS £197.19 NOW FROM ONLY



1.1	Maximum Capacities
ł	IYDK60
ł	IYDK84
Ν	IOTE: Do not exc

CAT. NO.
HYDK60CH
HYDK60BN
HYDK84CH
HYDK84BN
HYDA9CH
HYDA9BN
*Minimum order







90° Wall-Glass Accessory Kit

8 mm to 10 mm		
Weight	Door Width	
40 kg	1520 mm	
40 kg	2130 mm	



DESCRIPTION	FINISH		
Standard 180 degree kit 1524 mm	Bright Anodised / Chrome	£189.46	£172.23
Standard 180 degree kit 1524 mm	Brushed Nickel	£189.46	£172.33
Standard 180 degree kit 2134 mm	Bright Anodised / Chrome	£204.96	£186.33
Standard 180 degree kit 2134 mm	Brushed Nickel	£218.80	£191.92
90 degree wall-to-glass accessory kit	Bright Anodised / Chrome	£57.73	£52.53
90 degree wall-to-glass accessory kit	Brushed Nickel	£67.41	£61.34
0 0 ,	0	201110	

Minimum order: 1. Price based on an order quantity of 6 (HYDK60CH)







Introducing CRL Spig-Lite Pro

Tested to BS6180:2011 to achieve 0.74 KN loading required for residential and small commercial applications.



oer metre (includes 2 spigots)

THE IDEAL SOLUTION FOR **RESIDENTIAL PROJECTS!**

ONLY 2 SPIGOTS & FIXINGS REQUIRED PER METRE

Extremely quick to install, elongated holes to allow for easy alignment.

NO NEED TO DRILL THE GLASS

Our glass clamping mechanism removes the need to hold the glass with locking pins.

STEP 1

NO DRAINAGE ISSUES

Raises the glass to 32 mm above the floor level which produces natural drainage

USES THE SAME PROVEN ADJUSTMENT SYSTEM AS POSIGLAZE

Horizontal alignment of each glass panel, ensuring the top edge of the glass is equal.

GLASS THICKNESSES


- 12 mm and 15 mm toughened monolithic glass
- 21.52 mm toughened laminated glass

STEP 3


EASY TO INSTALL AND ADJUST




Bolt the spigots to the substrate (Only 2 spigots required per metre).



Firmly squeeze the clamps around the glass and lower into the Spigots.



Thread the bolt in the clamp bar and position them within the moulded clamp area. Adjust and lock the glass in position by undoing the screw.



Slip the gasket in the top recess of the top bead. Apply adhesive to the top bead and place on the Spigot.

CRL HYDRAULIC CLOSER SET FOR ALL-GLASS DOORS

- Kit includes 1 x hydraulic patch fitting with back check (CRL380). 1 x top door patch fitting (PH21ABS) and 1 x centre-hung free swinging top pivot (1NT401)
- Max door weight: 100 kg
- Max door width: 1000 mm
- Adjustable closing speed from 110° to 20° and from 20° to 0°
- Quick installation no hole required in the floor
- For use with 10 to 12 mm monolithic toughened glass
- · Glass fabrication required



1NT401

12 | Call 00 800 0421 6144 Email crl@crlaurence.co.uk

CAT. NO.	DESCRIPTION	FINISH	1	6
CRL380BSSET	Kit with no hold open	Brushed Stainless	£98.72	£88.84
CRL380PSSET	Kit with no hold open	Polished Stainless	£98.72	£88.84
CRL380HBSSET	Kit with hold open	Brushed Stainless	£103.20	£92.88
CRL380HPSSET	Kit with hold open	Polished Stainless	£103.20	£92.88

*Minimum order: 1. Price based on an order quantity of 6 (CRL380BSSET)

CRL LADDER PULL HANDLES

- Sold as a pair
- Ladder style pull handles for backto-back mounting
- Through-bolts supplied
- · For use with 8 to 19 mm glass
- 12 mm diameter holes required



CAT. NO.	LENGTH	CENTRE-TO-CENTRE	FINISH	1	5
EULP40019BS	400 mm	250 mm	Brushed Stainless	£23.41	£20.81
EULP40019PS	400 mm	250 mm	Polished Stainless	£24.51	£21.60
EULP60032BS	600 mm	450 mm	Brushed Stainless	£29.66	£26.36
EULP60032PS	600 mm	450 mm	Polished Stainless	£31.00	£27.55
EULP100032BS	1,000 mm	800 mm	Brushed Stainless	£48.84	£43.41
EULP100032PS	1,000 mm	800 mm	Polished Stainless	£51.29	£45.59
			1001000		

Minimum order: 1. Price based on an order quantity of 5 (EULP40019BS).

CRL GLASS MOUNTED LATCH WITH LOCK AND THUMBTURN

- Works on single or double doors
- Field reversible
- 174 mm overall length
- 304 Grade stainless steel
- For use with 10 or 12 mm glass
- Glass fabrication required
- Other finishes available

				1140 400170
CAT. NO.	FINISH		6	NOW FROM
PTH311PS	Polished Stainless	£54.43	£49.51	
PTH311BS	Brushed Stainless	£54.47	£49.59	£49.5
*Minimum order	: 1. Price based on an order quar	tity of 6 (PTH311PS	3).	each

*Minimum order: 1. Price based on an order quantity of 6 (PTH311PS).

