

Glass Rooms Shower Hardware Door Hardware Railing Hardware Glass & Glazing criaurence.co.uk

#### CRL TOYO® Straight "Dry Wheel" Supercutter®

- · Black handle and wide straight head
- Moulded handle for positive grip
- · Long-lasting TOYO® carbide wheels
- 140 degree cutting angle



Cat. No.	Description	1	12
TC20	Cutter	£11.56	£9.99

\*Price based on an order quantity of 12.

**For Cutting** 4-6 mm Glass

#### **CRL TOYO® Original Supercutter®**

- · Brass or plastic straight end handles
- 140 degree hone angle carbide wheels

WAS £16 NOW FRO £14	MONLY	Save 15%
EACH	TC17B	
	The second second	TC17P
		For Cutting 4-8 mm Glass

Cat. No.	Description	1	12
TC17B	Brass Handle Cutter	£16.92	£14.37
TC17P	Plastic Handle Cutter	£16.92	£14.37

<sup>\*</sup>Price based on an order quantity of 12.

#### **CRL TOYO® Comfort-Grip Supercutter®** With Pattern Head

- · Straight end handle
- · Self-oiling
- · Premium quality



Cat. No.	Description	1	12
TC1PR	Comfort-Grip Rainbow Colour Supercutter®	£13.05	£11.26

For Cutting 3-6 mm Glass

<sup>\*</sup>Price based on an order quantity of 12.

Glass

### CRL TOYO® Tap Wheel™ Thick Glass Supercutter®

- · Standard wide head or optional pattern head
- · Automatic self-oiling action



Cat. No.	Description	1	12
TC600SVB	Cutter	£21.59	£18.62

<sup>\*</sup>Price based on an order quantity of 12.

### CRL TOYO® Pistol-Grip Supercutter® with 140 Degree

- · Rainbow coloured handle
- 140 degree hone angle with pattern head
- · Designed for hours of fatigue-free cutting
- Self-lubricating head fed by an oil reservoir in the handle

in the hand	ile		
Cat. No.	Description	1	12
TC600PR	Pistol-Grip Supercutter®	£19.89	£17.26
*Price based or	on an order quantity of 12.		

WAS £34.21

**EACH** 

**WAS £20.30** 

**NOW FROM ONLY** 

£17.26

#### **CRL Precision Circle Cutter**

- $\bullet \, \mathsf{Our} \, \mathsf{most} \, \mathsf{popular} \, \mathsf{circle} \, \mathsf{cutter} \,$
- $\bullet \ \mathsf{Precision} \ \mathsf{action} \ \mathsf{cutting} \ \mathsf{wheels}$
- Vacuum cup base
- $\bullet\, \mathsf{Models}\, \mathsf{for}\, \mathsf{diameters}\, \mathsf{up}\, \mathsf{to}\, \mathsf{1,981}\, \mathsf{mm}$

Cat. No.	Description	1
511CC	63.5 mm to 610 mm	£30.79
512CC	63.5 mm to 813 mm	£32.55
514CC	63.5 mm to 1,220 mm	£34.61

<sup>\*</sup>Price based on an order quantity of 1 (511CC).

# NOW FROM ONLY £30.79\* EACH

#### **CRL Suction Lathe**

- •10 mm thick
- 70 mm wide



Cat. No.	Description	1	5
03074	2,600 mm Length, 3 Suction Cups	£131.13	£109.28
03075	3,300 mm Length, 4 Suction Cups	£152.51	£127.09

<sup>\*</sup>Price based on an order quantity of 5 (03074).

3

#### CRL T-Square Super 1,350 mm

- · Sturdy, durable and accurate
- · Made to exacting specifications to ensure the right angle time after time



Cat. No.	Description	1	5
03173	T-Square Super	£83.14	£69.27

<sup>\*</sup>Price based on an order quantity of 5.

#### **CRL Flared Jaw Glass Pliers**

- · Recommended glass thickness 6 mm
- 15 mm (maximum) jaw opening
- · 26 mm flared jaw
- · Smooth grip
- 210 mm length
- · Precision machined tips

**WAS £10.22 NOW FROM ONLY** 



Cat. No.	Description	1	5
RD1935	Flared Jaw Glass Pliers	£10.54	£9.20

<sup>\*</sup>Price based on an order quantity of 5.

#### **CRL White Chinagraph Pencils**

- · Sold per box of 12
- · Ideal for marking glass, plastic, etc.
- The pencil mark is impervious to water and dampness, yet is easily removed with a dry cloth

Cat. No.	Description	1	10
O336	Pencils - white	£12.48	£10.25
0337	Pencils - yellow	£13.80	£11.48

<sup>\*</sup>Price based on an order quantity of 10 (0336).



WAS £11.39 **NOW FROM ONLY EACH** 

#### **CRL Round Edge Template Guide**

- · Make consistent radius corners easier than ever
- Choose from 12 radii 10mm to 70mm
- · Solid plastic construction makes it economical and unbreakable
- · Features four slip-resistant pads that not only keep the template in place during use, but also reduce the risk of scratching the glass.

WAS £6.14	
NOW ONLY	
£5.53	2
£5.53	)
EACH	

WAC OC 44





#### CRL Kevlar® Sleeves

• BS EN3881-3-4-3



#### Tested to BS EN 388 1-3-4-X

Cat. No.	Length	1	20
063710	254 mm	£10.03	£8.78
063714	356 mm	£12.44	£10.89
063718	457 mm	£15.17	£13.28

\*Price based on an order quantity of 20 (063710).

WAS £9.75 **NOW FROM ONLY** 

#### **CRL Cut Resistant Level 5 Wrist Guards**

- · Our best value wrist guard
- · Can be worn on either arm
- I c
- ۰
- E
- 5

Loop and hook fastening	
Durable and comfortable	
BS EN 388 X-5-X-3	
Sold by the pair	
	WAS £14.88
	NOW FROM ONLY

Cat. No.	Length	1	12
0601	152 mm	£13.40	£11.90
06012	203 mm	£15.90	£14.13

<sup>\*</sup>Price based on an order quantity of 12 (0601).

# £11.90\*

#### Premium Latex Coated Cut Level E Glove Made With Kevlar® & Steel

- Extremely high ISO Cut level E
- · Premium textured latex palm coating offers excellent grip in dry and wet applications
- · Protection against abrasion and puncture
- · Sanitised® hygiene function
- Made with DuPont™ Kevlar® & Steel
- EN407 tested and achieves contact heat level 2 (250 degrees)
- EN388-2016 rating 4X43E

Cat. No.	Size	1	20
0625A	Small	£6.21	£5.31
0626A	Medium	£6.21	£5.31
0627A	Large	£6.21	£5.31
0628A	Extra Large	£6.21	£5.31

\*Price based on an order quantity of 20.



WAS £5.90 NOW FROM ONLY **EACH** 

#### **CRL Glasstrax Glass Dolly**

- Self clamping action locks loads up to 50.8 mm thick
- One person can load and manoeuvre
- · Safe glass transport with large 272 kg capacity

WAS £671.89 NOW ONLY £604.70



Cat. No.	Description	1
GT02	Glass Dolly	£604.70

#### CRL Wood's Powr-Grip® Vacuum Cup

- 203 mm diameter pad
- Check valve allows re-pumping without loss of remaining vacuum
- Release valve lever permits quick and complete release
- Fast attachment on smooth, non-porous flat surfaces
- Red-line indicator warns user of any vacuum loss
- Supplied with protective carrying case

• 57 kg lifting capacity





Cat. No.	Description	1	4
N4000	ABS Handle Vacuum Cup	£38.25	£35.06
N4950	Metal Handle Vacuum Cup	£72.84	£66.76

\*Price based on an order quantity of 4 (N4000).



#### CRL Wood's Powr-Grip® Single Channel **D.C. Vacuum Lifting Frame**

- · Four 280 mm diameter lipped pads
- · High holding strength and safe to use due to the dual-circuit suction system
- 180° edgewise rotation
- 90° tilt, vertical to flat
- 12 V D.C.
- · Automatic 'self-test' function ensures that the cups are safely loaded
- · New coloured display shows at first glance when a dangerous situation is detected
- · Warns of danger with clear visual and audible signals
- · Smart-power-management enables a long lasting battery in a single charge
- Continued monitoring of the battery indicates when the battery level becomes too low
- Multi-stage alarm system assesses the risks in dangerous situations
- · 320 kg lifting capacity

Can be used with remote control EUW94117BM

Call Technical Sales on 01706 863 600 for quidance on this product

Cat. No.	Description	1
EUP11104DC0	Single Channel D.C. Vacuum Lifting Frame	£3317.40



WAS £3686.01

£3317.40

**NOW ONLY** 

#### **CRL Lifting Grab**

- · Glass sheet lifting pincer grab
- · Capable of lifting individual glass sheets
- between 3 mm to 18 mm thickness
- · Operated by over head crane
- 500 kg lifting capacity

Cat. No.	Description	1
5940	Lifting Grab	£1413.00

#### WAS £1570.00 **NOW ONLY** £1413.00



#### CRL 203 mm Pump-Action Vacuum Lifter For Curved Glass

- · Designed primarily for lifting curved architectural glass
- · Excellent also for thin, flexible materials
- Red-line indicator warns user of any vacuum loss
- 56 kg lifting capacity

EACH	

WAS £31.33

Cat. No.	Description	1	4	20
S109	Vacuum Lifter For Curved Glass	£33.83	£30.75	£28.20

\*Price based on an order quantity of 20.



#### **CRL Fleximeter**

- For easy measuring of all types of door and window units
- · Sturdy metal construction

WAS £22.99
NOW FROM ONLY
£20.69\*



Cat. No.	Description	1	6
0471A	Fleximeter	£23.00	£20.69

<sup>\*</sup>Price based on an order quantity of 6.

#### **CRL Metric Insulating Glass Caliper**

- · Measures I.G. Unit thickness in sliding windows and doors
- · Quick and easy-to-use
- 101.6 mm scale on both sides
- $\bullet$  Made of high impact resistant plastic for durability.
- An inexpensive way to measure insulating glass units or any other object where thickness dimensions are required



WAS £25.41 NOW ONLY £22.87

Cat. No.	Description	1
1GCALMM	Metric Insulating Glass Caliper	£22.87

#### **CRL Merlin Lazer Glass Measuring Gauge**

- · No glass removal necessary
- Provides accurate measurement of single glass and air gap thickness in single, double, and triple glazed units
- All readings can be taken from one side without the need to remove the glass



WAS £220.00 NOW ONLY £198.00

Cat. No.	Description	1
0480	Lazer Glass Measuring Gauge	£198.00

#### **CRL Metric Scale Glass Thickness Laser**

· Measures from inside of the building- no glass removal is necessary

 Calculates thicknesses of insulating glass, laminated, bullet-resistant, and single lite float glass

- Padded carrying case and batteries included
- · Provides metric measurements
- · Easy to read scale
- · Can be used in bright sunshine
- · Strong laser colour
- · Can be used in every angle of view



£250.85

WAS £278.72 NOW ONLY

Best Seller

Cat. No.	Description	1
MG1500MM	Metric Scale Glass Thickness Laser	£250.85

#### **CRL Glass-Chek Elite**

- Identify glass, spacer and overall thickness of single, double, triple and quad pane windows
- $\bullet$  Identify the type of Low-E coating in the window, as well as the surface location
- Identify and measure laminated glass, including glass and laminate inner-layer thickness
- Graphical display that draws a picture of the profile of the window, numbering each surface for easy identification
- · Stores most recent 30 measurements
- Specialty Operating Modes such as bullet-resistant, reflective/mirrored glass, and dark tinted glass
- · Multiple languages offered

Cat. No.	Description	1	4
GC3200	Glass-Chek Elite	£1499.88	£1459.16
*Price based on	an order quantity of 4		

WAS £1621.29 NOW FROM ONLY £1459.16' EACH



#### **CRL Conductive Coating Detector**

- · Red indicator lights up on contact with Low-E
- · Edge stop restricts use to edge of glass, prevents scratching
- · Small enough to fit in your shirt pocket

Cat. No.	Description	1
CD1	Single Glazed	£18.71
CD2	Double Glazed	£65.49

\*Price based on an order quantity of 1 (CD1).

#### WAS £20.79 NOW FROM ONLY £18.71\* EACH



#### **CRL Strengthened Glass Detector**

- · Identifies heat-strengthened glass
- · Indicates thickness of the first pane of glass
- · Tests single or double panes

WAS £358.86 NOW ONLY **£322.9** 

Cat. No.	Description	1
SG2700	Strengthened Glass Detector	£322.97



#### **CRL Commercial Tin Side Detector**

- The solution glass processors have been waiting for
- More ruaged design
- · Definitive test results
- · Momentary power switch helps conserve energy
- Pulse the power on and off making it easier to identify the milky white glow when placed on the tin side of glass

Cat. No.	Description	1
TS1320	Commercial Tin Side Detector	£187.49

WAS £208.32 NOW ONLY

£187.49



#### **CRL Digital Tin Side Detector**

- · Digital technology
- · Easy-to-read meter
- · UV lamp is not required
- · Identifies the tin side of float glass



WAS £265.49 NOW ONLY £238.94

Best Seller

Cat. No.	Description	1
TS2300	Digital Tin Side Detector	£238.94

#### **CRL Window Energy Profiler**

- Tests windows in frame without removal
- Simultaneously displays percentage of allowable UV transmission, percentage of visible light, percentage of infrared light transmission, and solar heat gain co-efficient
- Completely portable with convenient handle for taking measurements
- · Convenient carrying case included

WAS £922.34 NOW ONLY £830.11



**Great Sales Tool** 

Cat. No.	Description	1
WP4500	Window Energy Profiler	£830.11

#### **CRL Rollertrack Bottom Track**

- · Designed for 6 mm toughened glass
- 21 mm Wide, 18 mm High
- Perfect for showcases and display cabinets
- $\bullet$  Smooth operating nylon rollers are built into the lower track
- Simple 'lift and drop' glass installation
- Top channel can be used as side jambs or for a surround frame
- Polished aluminium finish

Cat. No.	Length	1	20
16780	2 m	£38.53	£35.33
16785	4 m	£73.55	£67.42

\*Price based on an order quantity of 20 (16780).



#### **CRL Rollertrack Top Track**

- · Designed for 6 mm toughened glass
- · 21 mm Wide, 18 mm High
- · Perfect for showcases and display cabinets
- Smooth operating nylon rollers are built into the lower track
- · Simple 'lift and drop' glass installation
- Top channel can be used as side jambs or for a surround frame
- · Polished aluminium finish

Cat. No.	Length	1	20
16790	2 m	£9.65	£8.85
16795	4 m	£18.90	£17.33

<sup>\*</sup>Price based on an order quantity of 20 (16790).

WAS £9.83 NOW FROM ONLY £8.85\* EACH



#### **CRL Stick-on Finger Pulls**

· Sold in packs of 10

Cat. No.	Colour	1	10
1637	Neutral	£6.27	£5.31
1638	Black	£6.25	£5.72

<sup>\*</sup>Price based on an order quantity of 10 (1637).

WAS £5.90 NOW FROM ONLY £5.31\* EACH



#### **CRL Stick-on Finger Pulls**

· Sold in packs of 10

WAS £30.11
NOW FROM ONLY
£27.10\*
EACH



Cat. No.	Finish	1	10
1640	Chrome	£31.57	£27.10

<sup>\*</sup>Price based on an order quantity of 10.

#### **CRL Transport Pads**

- Medium density
- · Low-tack, pressure sensitive adhesive
- Leaves no adhesive residue or ghosting marks

WAS £7.83
NOW FROM ONLY
£7.05\*



<sup>\*</sup>Price based on an order quantity of 50 (1407B).



1407L0G10

#### **CRL Standard Vinyl Roller Tool**

- Ideal for inserting all types of flat spline and roll-in gaskets
- · Made from solid aluminium with a hard coat anodised finish
- Knurl diamond grip and a ball bearing wheel

WAS £9.90 NOW ONLY

£8.91



Cat. No.	Length	1
VR04	279 mm	£8.91

#### CRL E.Z.D. Glazer De-Glazing Tool

- Aids in the de-glazing of glass installed with silicone, foam tapes, butyl tapes and other flexible materials
- Blade lays flat on the glass and slides into the glazing pocket
- Extremely simple-to-use

<del>WAS £68.40</del>
NOW FROM ONLY
£61.56*
EACH



Cat. No.	Description	1	6
EZ1010	E.Z.D. Glazer De-Glazing Tool	£66.41	£61.56

<sup>\*</sup>Price based on an order quantity of 6.

#### **CRL Plate Glass Lifting Tool**

- · For lifting and setting plate glass
- Helps prevent lifting related injuries
- $\bullet \, \text{Aids in store front window installation} \\$
- Width: 273 mm

NOW FROM ONLY		
£6.11*		
EACH		
37		_
	Ideal for the CRL DUC Profile	

Cat. No.	Description	1	10
PGL11	Plate Glass Lifting Tool	£6.89	£6.11

<sup>\*</sup>Price based on an order quantity of 10.

#### **CRL Face Cap Remover**

- · For lifting and setting plate glass
- $\bullet \, \mathsf{Helps} \, \mathsf{prevent} \, \mathsf{lifting} \, \mathsf{related} \, \mathsf{injuries}$
- $\bullet \ \mathsf{Aids\,in\,storefront\,window\,installation}$
- Width: 273 mm



WAS £6.79

Cat. No.	Description	1	5
FCR1	Face Cap Remover	£19.92	£18.32

<sup>\*</sup>Price based on an order quantity of 5.



#### **CRL Corner Protectors**

- Designed to protect glass and mirror edges during shipping, handling or storing
- · Will not scratch or damage glass or mirror surfaces, and help protect large cut-offs from breakage or becoming scrap
- · Protectors are reusable, they simply slide on and off
- •1,000 per box

Cat. No.	Glass Thickness	1	10
1463004K	4 mm	£71.04	£63.14
1463006K	6 mm	£64.74	£57.55
1463008K	8 mm	£59.10	£52.53
1463010K	10 mm	£62.63	£55.67
1463012K	12 mm	£59.28	£52.70

WAS £58.37 **NOW FROM ONLY** £52.53\* **EACH** 

#### **CRL Blue Surface Protection Film**

\*Price based on an order quantity of 10 (1463008K).

- 40 micron blue film
- · Adhesive free
- No residue
- Static hold
- · Prevents scratches
- •1,000 m length

Cat. No.	Width	1
21S1800B	1,800 mm	£189.77

WAS £210.85 **NOW ONLY** £189.77 **EACH** 

**WAS £4.36 NOW FROM ONLY** 



#### CRL EG310 evergrip™ Mirror Adhesive

- · Extra fast grab mirror adhesive
- · Extra strong holding capacity
- · Fast curing, with skin formation in about five minutes
- · Adhesion to almost all surfaces
- · Low VOC, solvent free, low odour
- · 310 ml cartridge

Cat. No.	Description	1	60	120
EG310	Mirror Adhesive	£3.50	£3.25	£3.04

\*Price based on an order quantity of 120.

### **CRL EG310ULTRA Complete Adhesive**

- · MS Polymer based
- · Neutral curing and odourless
- · Cures with atmospheric moisture
- · Super-fast bonding of mirrors, glass, wood, composite panels and metal to a range of substrates
- · Free of silicone and isocyanides
- 290 ml cartridge
- 12 per case

Cat. No.	Description	1	120
EG310ULTRA	Complete Adhesive	£3.94	£3.68

\*Price based on an order quantity of 120.





13

#### **CRL Chrome Plated Dome Heads No 8 Gauge**

- · Chrome finish, steel construction
- · Sold per pack of 200

Cat. No.	Description	1	10	20
1630	16 mm screws	£57.98	£50.35	£41.06
1630A	25 mm screws	£51.63	£44.29	£36.24
1631	32 mm screws	£50.55	£43.29	£35.44
1631A	38 mm screws	£50.55	£43.29	£35.44
1632	Grommet	£10.72	£9.15	£7.98

<sup>\*</sup>Price based on an order quantity of 20 (1631).



Save **15**%

WAS £41.69 NOW FROM ONLY £35.44\*

#### **CRL E-Z Mount Mirror Clip Sets**

- Our best-selling mirror clip sets are the fast and secure way to hang mirrors
- · Made of nickel plated steel
- Upper clips have unique, spring loaded flanges. Just expand the clips during installation, it's quick and easy!
- Lower clips always remain stationary and have a 7.9 mm channel space. These clips are not spring-loaded, and are designed to carry the mirror's weight
- For 4 mm and 6 mm glass



Save **15**%

WAS £2.34 NOW FROM ONLY £1.99\*

Cat. No.	Description	1	3	5	10	20	50	100	250	1000
655	Set of 4 Clips	£2.76	-	-	-	-	£2.53	£2.25	£2.08	£1.99
50655B	Bulk carton of 50 sets	£92.27	£85.90	£81.71	£77.43	£71.70	-	-	-	-

<sup>\*</sup>Price based on an order quantity of 1000 (655).

#### **CRL Mirabac Polypropylene Mirror Backing**

- Keeps glass fragments together should mirror accidentally break, reducing the chance of personal injury
- Ready to use and easy-to-apply
- Tested to BS EN 12600
- 60 Micron

Cat. No.	Roll Size	1	10
21051	300 mm x 100 m	£21.13	£18.86
21052	450 mm x 100 m	£31.39	£28.03
21053	604 mm x 100 m	£41.92	£37.42

<sup>\*</sup>Price based on an order quantity of 10 (21051).

WAS £20.96 NOW FROM ONLY £18.86\* EACH



#### **CRL Aluminium Tape with Liner**

• Protects the back of the mirror against moisture ingress

WAS £58.52 NOW FROM ONLY £52.67\*

Cat. No.	Description	Size	1	10	25
2108600	Standard - 30 Micron	600 mm x 45 m	£72.19	£59.25	£52.67

<sup>\*</sup>Price based on an order quantity of 25.



#### **CRL Standard Aluminium J-Bar for Mirror**

- · Punched and slotted for easier installation
- · 3.66 m stock lengths



WAS £9.39 NOW FROM ONLY £7.98\* EACH



Cat. No.	Description	1	50
D636BA	Bright Anodised	£10.25	£8.54
D636BN	Brushed Nickel	£9.58	£7.98
D636MBL	Matte Black	£10.25	£8.54

<sup>\*</sup>Price based on an order quantity of 50 (D535BN).

#### **CRL Deep Nose Aluminium J-Bar for Mirror**

- · Punched and slotted for easier installation
- · 3.66 m stock lengths

WAS £11.98 NOW FROM ONLY £10.18\* EACH




Cat. No.	Description	1	50
D645BA	Bright Anodised	£13.16	£10.97
D645BN	Brushed Nickel	£12.22	£10.18
D645MBL	Matte Black	£14.12	£11.76

<sup>\*</sup>Price based on an order quantity of 50 (D645BN).

#### **CRL Aluminium Angle Extrusion**

· 3.66 m stock lengths

WAS £10.03 NOW FROM ONLY £8.53\* EACH



<sup>\*</sup>Price based on an order quantity of 50 (D1627BA).





15

#### **CRL Heated Mirror Pads**

- · Prevents mirror misting
- · Simple installation
- Applied to back of mirror
- Made in Europe
- 240 Volts

WAS £33.73 NOW FROM ONLY £28.67\* EACH

Cat. No.	Size	1	10	100
76029MP	600 mm x 290 mm	£35.07	£31.56	£28.67
73081MP	300 mm x 810 mm	£44.29	£39.86	£36.24
74045MP	400 mm x 450 mm	£36.47	£32.83	£29.84
750105MP	500 mm x 1,050 mm	£56.77	£51.09	£46.44
750149MP	500 mm x 1,490 mm	£69.68	£62.73	£57.02
75053MP	500 mm x 530 mm	£42.06	£37.86	£34.42
75077MP	500 mm x 770 mm	£4816	£43.34	£39.41

<sup>\*</sup>Price based on an order quantity of 100 (76029MP).

High Performance





MORE SIZES THAN EVER BEFORE

#### **Moveable Desktop Screen Clamp**

- This new innovative clamp from CRL allows screens to be temporarily installed either parallel or perpendicular to the surface edge without damaging the desk or work surface
- This solution provides space saving benefits allowing the glass screen to be fixed close to the edge of the surface
- Clamp uses EUZFBBN'S
- CRL square or D shaped glass clamps to be ordered separately to be fixed to the moveable desktop screen clamp. Call Technical Sales for further assistance

Cat. No.	Description	1
MDSCLAMP	Moveable Desktop Screen Clamp	£11.00



WAS £12.22 NOW ONLY £11.00



#### **CRL Diamond Hand Pads**

- · Long-lasting diamond abrasive
- · Works great on smooth or uneven surfaces
- Use wet or dry
- 57 mm x 95 mm pad size

Description	1
Green 60X grit	£18.90
Black 120X grit	£16.55
Red 220X grit	£12.74
Yellow 400X grit	£11.51
	Green 60X grit Black 120X grit Red 220X grit

<sup>\*</sup>Price based on an order quantity of 1 (DHP400).



WAS £12.79 NOW FROM ONLY £11.51\*

#### **CRL Glass and Mirror Cleaner**

- · A long time favourite of the glass industry
- · Pleasant aroma
- 600 ml can

WAS £2.09 NOW FROM ONLY £1.88\*





EB1701

1702L

Cat. No.	Description	12	24	60	864
EB1701	Glass Cleaner	£2.47	£2.20	£1.93	-
1702L	Own Label Glass Cleaner	-	-	-	£1.88

<sup>\*</sup>Price based on an order quantity of 864 (1702L).

#### **CRL Neutral Cure Construction Silicone**


- Neutral cure. low modulus silicone
- · Versatile sealant
- Cures under the influence of humidity to form a durable elastic rubber seal
- Specifically developed for durable elastic sealing of expansion joints in concrete, brickwork, curtain wall constructions, kitchens, bathrooms, showers, industrial applications and glazing systems
- · UV, water, weather and mould resistant
- Available in clear, black and white
- 300 ml cartridge
- 12 per case



Colour	1	120
Clear	£3.56	£3.33
White	£3.56	£3.33
Black	£2.73	£2.56
	Clear White	Clear         £3.56           White         £3.56


<sup>\*</sup>Price based on an order quantity of 120 (CRLNCSBL).


**EACH** 




### **Bellagio Shower Door Hinge**

- · High quality adjustable shower door hinge
- Hinges complete with inbuilt seals
- Modern square design
- · Compact design
- · Adjustable zero position
- Self closing from approximately 25°
- High load capacity
- Cover plates
- Solid brass
- For 8 and 10 mm tempered safety glass
- Tested to DIN EN 14428:2019-07 over 100,000 cycles









Brushed Gun Metal

(BGM)


Satin Brushed Copper

(SAC)

Following on from a successful launch our Bellagio range now includes 9 finishes Call our Technical Team for more information on 01706 863 600

Brass (BR)

Satin Brass (SB)



### **CRL Serenity**

### **CRL Deluxe Serenity Series - Sliding Shower Door System**

- Unique 180° system with rollers above and below the header bar
- · System features one sliding door and one fixed panel
- Fixed and sliding glass panels are reversible for installation (glass not included)
- Use of minimal hardware gives door an almost floating appearance
- · Glass fabrication required
- Accessory kit available for 90° return panels (SER90XX)
- For use with 8 to 10 mm monolithic toughened glass

Cat. No.	Finish	1	6
SER78PS	Polished Stainless	£233.58	£204.38
SER78BS	Brushed Stainless	£252.95	£221.34
SER78MBL	Matte Black	£261.81	£229.09
AUSER78BB	Satin Brass	£317.70	£282.39

\*Price based on an order quantity of 6 (SER78PS).

#### Deluxe 180 Degree Kit Includes:

- 1x2 m length header support bar
- 4 x Rollers
- 1x Stopper
- 2x Track holder fittings for wall
- 2 x Track holder fittings for fixed panel
- 1x Thru-glass pull
- 1x Door guide
- 1x 2.16 m length clear L-jamb

	8 mm to 10 mm		
	Weight	Door Width	
Maximum Capacities	40 kg	762 mm	

WAS £227.09
NOW FROM ONLY
£204.38\*

### CRL Hydroslide Series Sliding Shower Door System

- · Excellent design for compact areas
- · Quick and easy installation
- · Clean, sleek lines
- · Available in four stock finishes, custom finishes available
- · Custom units available by special order
- · Glass fabrication required
- For use with 8 mm to 10 mm monolithic toughened glass

#### Standard 180 Degree Kit Includes:

- 1 Sliding glass door upper track
- 2 Hangers for sliding glass door
- 2 Sliding glass door rollers
- 2 Sliding glass door roller stops
- 1 Sliding glass door floor guide
- 2 90 degree wall-to-upper track connectors
- 2 180 degree glass-to-sliding track connectors
- 1 914 mm half-round SDT980 threshold
- 1-2489 mm DK98L L-seal for wall

**NOTE:** Bottom fixed glass attachments, handles or knobs must be ordered separately.

#### 90 Degree\*\* Wall-to-Glass Accessory Kit Includes:

- 1-90 degree glass-to-sliding track connector
- 1 90 degree wall-to-glass bracket













Image shown here:

	8 mm to 10 mm	
Maximum Capacities	Weight	Door Width
HYDK60	40 kg	1520 mm
HYDK84	40 kg	2130 mm

NOTE: Do not exceed maximum door weight or width.

WAS £283.08
NOW FROM ONLY
£240.62*
EACH

Cat. No.	Description	Finish		6
HYDK60CH	Standard 180 degree kit 1524 mm	Bright Anodised / Chrome	£255.37	£240.62

<sup>\*</sup>Price based on an order quantity of 6.

<sup>\*\*90</sup> degree units require that you order one 180 degree Standard Kit plus one 90 degree Accessory Kit

#### **CRL Florence Click Hinges**

- · New Polymer closing function with no springs
- Suitable for walls that aren't perfectly aligned
- Patented technology
- · No visible screws
- · High quality Brass body with Chrome finish
- · Compact 80 mm high by 60 mm wide
- · Variable close position for door alignment
- · Maximum door weight 50 kgs using 3 hinges, 40 kgs using 2 hinges
- · Maximum door width 1000 mm using 3 hinges, 900 mm using 2 hinges
- For 6, 8 & 10 mm glass
- Tested and guaranteed to 100,000 cycles
- · Finish: Chrome







WAS £43.75 NOW FROM ONLY

F.39.38\*

Note: For doors greater than 900 mm width and 40 kg weight, CRL recommend 3 hinges are to be used.

Cat. No.	Description	Stops At	1	6
FL0337CH	For shower cubicles	0° +90° -90°	£42.96	£39.38
FL0344CH	For shower cubicles with offset fixing wing	0° +90° -90°	£50.57	£46.36
FL0380CH	For glass to glass shower cubicles	180° Stop at 0° +90° -90°	£58.00	£53.16

<sup>\*</sup>Price based on an order quantity of 6 (FL0337CH).

#### **Altea Range Door Knobs**

- · Can be used on inswing and outswing doors
- · Suggested gap: 6 to 8 mm
- · 2.49 m stock length

Cat. No.	Description	Finish		10
ALTSDK1CH	Single Sided	Chrome	£6.09	£5.48
ALTSDK2BN	Back-to-Back	Brushed Nickel	£7.38	£6.64
ALTSDK2CH	Back-to-Back	Chrome	£7.62	£6.86

\*Price based on an order quantity of 10 (ALTSDK1CH).

### WAS £6.45 Save NOW FROM ONLY **EACH**

#### Frameless Shower Door Tapered Threshold

- · Assists watershed back into shower
- · Perfect for flat or out-sloping curbs
- · Use Monolithic Tempered Glass

Cat. No.	Finish	1	10	50
SIL001CH	Chrome	£18.05	£16.04	£14.42
SIL001BN	Brushed Nickel	£28.13	£25.05	£22.53
SIL001MBL	Matte Black	£37.58	£33.41	£30.07

\*Price based on an order quantity of 50 (SIL001CH).

### **WAS £16.02** NOW FROM ONLY **EACH** S1L001

#### **CRL TPC Surface Protector**

- Transparent polymer coating
- · Water, soil and stain repellent
- · Protects glass and many other surfaces
- · Clear coating guards against the adhesion and build-up of dirt, grime, mould, mildew, rust and mineral deposits
- · Suitable for clear and sandblasted glass surfaces

Cat. No.	Description	1	12
TPC16	473 ml bottle	£11.33	£10.43

\*Price based on an order quantity of 12.

WAS £11.59



Finish

Satin Brass

Satin Brass

£74.51

£80.90

£70.25

£76.64

#### CRL Bellagio - Adjustable shower door hinges and clamps with cover plates

- · High quality adjustable shower door hinge
- · Hinges complete with inbuilt seals
- Modern square, compact design
- · Adjustable zero position
- · Self closing from approximately 25°
- · High load capacity
- · Cover plates
- Solid brass

Cat. No.

• For 8 and 10 mm tempered safety glass

Description BEL344SB Hinge, 90° Glass-Wall

BEL380SB Hinge 180° Glass-Glass

\*Price based on an order quantity of 54 (BEL344SB)

Tested to DIN EN 14428:2019-07 over 100.000 cycles







BEL380SB

#### Our most innovative and high performance hinge yet

Maximum Loads	8 mm to 10 mm			
	Weight	Door Width		
With 2 hinges	50 kg	1,000 mm		

#### **CRL Geneva Series Shower Hinges**

- For 8 to 12 mm toughened safety glass
- · Our most popular hinge series
- · Square corner hinge design
- Self-centering when within 15° of closed position
- · Construction: solid brass
- Tested to EN14428:2015

WAS £41.70 NOW FROM ONLY 37.53



£66.00

£70.25

GEN037SB



GEN044SB



Cat. No.	Description	Finish		16	
GEN037SB	Wall Mount Full Back Plate Hinge	Satin Brass	£45.48	£41.32	
GEN044SB	Wall Mount Offset Back Plate Hinge	Satin Brass	£41.31	£37.53	
GEN180SB	180 Degree Glass-to-Glass Hinge	Satin Brass	£55.73	£50.63	
*Price based on an order quantity of 16 (GEN044SB).					

Maximum Capacities Weight Door Width Using Two Hinges 36 kg 711 mm Using Three Hinges 54 kg 813 mm

NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges.

2 x Track Holde

#### **CRL Deluxe Serenity Series - Sliding Shower Door System**

- Unique 180° system with rollers above and below the header bar
- · System features one sliding door and one fixed panel
- Fixed and sliding glass panels are reversible for installation (glass not included)
- Use of minimal hardware gives door an almost floating appearance
- · Glass fabrication required
- Accessory kit available for 90° return panels (SER90XX)
- For use with 8 to 10 mm monolithic toughened glass

### WAS £313.77 NOW FROM ONLY





#### Deluxe 180 Degree Kit Includes:

1x2m length header support bar 4 x Rollers

2 x Track holder fittings for wall

2 x Track holder fittings for fixed panel

1x Thru-glass pull

1x Door auide

1 x 2.16 m length clear L-jamb

1x Stopper







1x2m Length

Header Support Bar

lass	IX Door	1 X 2,U16 M
	Guide	Clear L-Ja
_		

1x Stopper

	Weight	Door Width	
Max Capacities	40 kg	762 mm	

Cat. No. Description Finish AUSER78BB Satin Brass £317.70 £282.39 AUSER90BB Serenity 90° Return Satin Brass £13.01 £12.20

<sup>\*</sup>Price based on an order quantity of 6 (AUSER78BB).

### CRL Top Mount Clamps - Fixed Panel Square Clamp With Large Leg

- · Larger leg covers more wall surface
- · Use monolithic toughened glass
- Requires 19 mm hole in glass
- · Clamps contribute to 'all-glass' appearance
- For 10 to 12 mm glass



WAS £23.12 NOW FROM ONLY £20.81\*


Cat. No.	Description	Finish	1	10	50
SGC039SB	Top Mount Clamps	Satin Brass	£26.06	£23.13	£20.81

### \*Price based on an order quantity of 50.

### CRL Square Wall Mount Clamp (Hole-in-Glass Style)

- Used to secure fixed panels of glass for frameless shower enclosures
- Solid brass
- Glass fabrication required
- For 8 to 12 mm glass
- · Size: 51mm W x 51mm H
- · Glass to wall/floor/ceiling gap 4-5 mm

WAS £8.86 NOW FROM ONLY £7.97\*



Cat. No.	Description	Finish		10	50
SCU4SB	Wall Mount Clamps	Satin Brass	£9.95	£8.91	£7.97

<sup>\*</sup>Price based on an order quantity of 50.

#### **CRL Support Bar**

- Component to provide fixed panel support for enclosures not going to the ceiling
- Compatible with CRL products to meet your needs
- · Satin Brass finish





Cat. No.	Description	Finish		
S1SB	1 m Round Support Bar	Satin Brass	£25.72	£23.09
S2SB	1.3 m Round Support Bar	Satin Brass	£35.98	£31.47
S12SB	Wall Mount Bracket	Satin Brass	£7.76	£6.96
S5SB	U-Bracket for 10-12 mm glass	Satin Brass	£35.01	£29.17

<sup>\*</sup>Price based on an order quantity of 6 (S12SB).

<b>WAS £7.73</b>
<b>NOW FROM ONLY</b>
£6.96*
EACH

#### **CRL Shower Door Knob**

On trend finish: Satin Brass

- For 6 to 12 mm toughened safety glass
- · Attractive ribbed appearance
- 12 mm diameter hole required





Finish

Satin Brass



WAS £17.32
NOW FROM ONLY
£15.59* EACH

Description

#### CRL BM Series Back-To-Back Pull Handle

Back-to-Back Square Style Knob

- For 6 to 12 mm toughened safety glass
- · Mounting holes 152 and 203 mm centre-to-centre
- · With metal washers

Cat. No.

SDK160SB

• Two 12 mm diameter holes required

**WAS £23.69 NOW FROM ONLY** 

£34.97 £29.14 £24.98

£19.48 £17.33 £15.59



Cat. No.	Description	Finish	1	10	50
BM8X8SB	203 mm Handle	Satin Brass	£26.03	£23.45	£21.32

<sup>\*</sup>Price based on an order quantity of 50.

#### MT Series Back-to-Back Pull Handles

· 203 mm size with metal washers

WAS £35.62 **NOW FROM ONLY** f32.06**EACH** 



Cat. No.	Description	Finish		10	50
MT8X8SB	203 mm Handle	Satin Brass	£40.82	£35.44	£32.06

<sup>\*</sup>Price based on an order quantity of 50.

#### **CRL Aluminium U-Channel** for 10 mm Glass

- · Wet glazed with clear silicone to secure glass
- · Available in 2.49 m stock lengths
- · Available in up to 17 finishes see crlaurence.co.uk

**WAS £13.17 NOW FROM ONLY EACH** 

14.3mm



Cat. No.	Finish	Length	Depth		10	40	80	120
SDCD38SB	Satin Brass	2.49 m	19 mm	£18.57	£16.20	£14.46	£13.00	£11.85

<sup>\*</sup>Price based on an order quantity of 120.

SDK106SB Back-to-Back Contemporary Style Knob Satin Brass \*Price based on an order quantity of 50 (SDK106SB).

#### **CRL Heavy-Duty Post Mount Fitting**

- For use with glass up to 27 mm thick to attach a single glass panel to a structural end post
- · Complete with hardware to mount to post or column
- Brushed or polished stainless steel finishes
- · 316 stainless steel



#### **HEAVY DUTY POST MOUNT**

Cat. No.	Description	Finish	1	6
PMH1BS	Spider Fixing	Brushed Stainless	£19.24	£17.10
PMH2BS	Spider Fixing	Brushed Stainless	£23.36	£20.76
PMH4BS	Spider Fixing	Brushed Stainless	£43.07	£38.29

<sup>\*</sup>Price based on an order quantity of 6 (PMH1BS).

#### **CRL Heavy-Duty Wall/Fin Mount Fitting**

- For use with glass up to 27 mm thick to attach a single glass panel to a wall or structural fin
- Complete with two threaded studs and two matching cap nuts with washers
- · Brushed or polished stainless steel finishes
- · 316 stainless steel



#### **HEAVY DUTY FIN MOUNT**

Cat. No.	Description	Finish	1	6
FMH1BS	Spider Fixing	Brushed Stainless	£36.45	£32.40
FMH2BS	Spider Fixing	Brushed Stainless	£49.11	£43.66
FMH4BS	Spider Fixing	Brushed Stainless	£74.63	£66.33

<sup>\*</sup>Price based on an order quantity of 6 (FMH1BS).

#### **CRL Regular Duty Post Mount Fitting**

- For use with glass up to 12 mm
- Complete with hardware to mount to post or column
- 316 stainless steel



Cat. No.	Description	Finish	1	6
PMR1BS	Spider Fixing	Brushed Stainless	£17.59	£15.62
PMR2BS	Spider Fixing	Brushed Stainless	£22.00	£19.55
PMR4BS	Spider Fixing	Brushed Stainless	£37.24	£33.10


<sup>\*</sup>Price based on an order quantity of 6 (PMRIBS).

REGULAR POST MOUNT

#### **CRL Combination Glass Attachment**

- For use with 10 mm to 12 mm tempered glass
- · 316 stainless steel

**REGULAR** 



RRF10BS

WAS £13.84
NOW FROM ONLY
£12.46*
EACH

RSF10BS

Cat. No.	Description	Finish	1	6
RRF10BS	Rigid Head Bolt	Brushed Stainless	£14.02	£12.46
RSF10BS	Swivel Head Bolt	Brushed Stainless	£18.71	£16.63

<sup>\*</sup>Price based on an order quantity of 6 (RSF10BS).

#### **CRL Combination Glass Attachment**

- One fitting for either flush or surface mount installations
- For use with 12 mm to 27 mm toughened or laminated glass
- Typically used only for interior applications
- · Can be used with all Heavy-Duty Spider Fittings
- · 316 stainless steel







HSF14BS

#### **HEAVY DUTY**

Cat. No.	Description	Finish		6
HRF14BS	Rigid Head Bolt	Brushed Stainless	£25.09	£22.30
HSF14BS	Swivel Head Bolt	Brushed Stainless	£19.07	£16.96


<sup>\*</sup>Price based on an order quantity of 6 (HSF14BS).

### WAS £18.84 **NOW FROM ONLY EACH**

#### **CRL Awning Bracket Set for Glass Canopy**

- · Proven static available
- · Corrosion protection class 2, DIN EN 10088
- · Glass thickness range 13.52 mm to 17.52 mm
- · 304 Grade Stainless Steel







Cat. No.	Description	Overhang	Blade	Overhang	Canopy slope		5
EUGAB1000BS	Canopy	Ø 60mm	785 mm	800-1000 mm	max. 3.6°	£442.88	£411.85

<sup>\*</sup>Price based on an order quantity of 5.



### Designed for use in a Glass Room or as a room divider, CRL Sliding Doors offer protection from changing weather conditions.

Available with between 2 and 5 rails the CRL Sliding Door system has ball bearing mounted steel rollers for easy movement and low maintenance. Its intelligent profile design ensures a rapid, simple installation.

- Made to order sliding tracks, supplied with or without glass
- · Tracks and shoes cut to width
- · Available with 2, 3, 4 or 5 guide rails
- · Stainless steel mechanism for smooth running
- 4 standard RAL colours (other RAL Colours available on request)
- For use with Glass Rooms, garden rooms and as room dividers or balcony glazing (subject to fitting situation)
- $\bullet$  For use with 8 mm or 10 mm toughened safety glass

Call our Technical Team for more information on 01706 863 600

#### **Hydraulic Patch Fitting Kit With Backcheck**

- Kit includes 1x hydraulic patch fitting (CRL380 for no hold open and CRL380H for hold open), 1x top door patch fitting (PH21ABS) and 1x centre-hung free swinging top pivot (1NT401)
- For use with 10 to 12 mm monolithic toughened glass
- · Max door weight: 100 kg. Max door width: 1,000 mm
- $\cdot$  Adjustable closing speed from 110° to 20° and from 20° to 0°
- · Quick installation no hole required in the floor
- · Glass fabrication required
- · Available with hold open or no hold open options



Cat. No. Finish Description CRL380BSSET Kit with no hold open **Brushed Stainless** £121.80 £108.26 CRL380HBSSET Kit with hold open Brushed Stainless £110.18 £97.94 CRL380PSSET Kit with no hold open Polished Stainless £106.04 £94.26 CRL380HPSSET Kit with hold open Polished Stainless £110.86 £98.54

\*Price based on an order quantity of 6 (CRL380PSSET).

### WAS £104.73 **NOW FROM ONLY EACH**



#### **Hydraulic Patch Fittings With Backcheck**

- · Includes two adjustment screws to adjust the latching speed and the swing speed
- · For interior use only
- · Glass fabrication required
- 100 kg max door weight
- 1,000 mm max door width

• For 8 to 12 mm gl	ass			
Cat. No.	Description	Finish	1	6
CRL380MBL	No Hold Open	Matte Black	£87.48	£72.90
CRL380HMBL	Hold Open	Matte Black	£87.48	£72.90

\*Price based on an order quantity of 6.

WAS C81.00 NOW FROM ONLY **EACH** 



KITFORM AVAILABLE ON REQUEST

#### Adjustable Power Narrow Width Floor Mounted Closer

- The perfect door closer to support CRL's patch hardware
- · Interchangeable Spindle Heights
- 120 kg max door weight
- 1.067 mm max door width
- Adjustable power EN1 to EN4
- · Complete with cement box, brushed stainless cover plate and spindle
- · Coffin box EUCRL8460C0F can be used with this door closer
- Cover plate EUCRL84VLCPBS must be used with EUCRL8460C0F Coffin box

Cat. No.	Description	1	4
EUCRL8460V	180° Hold Open	£97.65	£90.14

\*Price based on an order quantity of 4.



WAS £100.16 NOW FROM ONLY **EACH** 

#### **DORMA GLAS Floorsprings**

- BTS 75 V with bridge attachment, with thru axle, including cement box, with opening damping
- Adjustable Closing Force EN 1-4 for door width up to 1100 mm
- · Mounting template for quick adjustment
- · Cement box included
- · Spindle included
- · Cover sold seperately

Cat. No.	Description	1
61601000	No Hold Open	£119.07



WAS £132.30 NOW ONLY £119.07

#### **DORMA GLAS floor spring BTS 75V**

- DORMA GLAS BTS75v EN1-4 floor spring c/w standard spindle and cement box
- · Maximum door weight 120 kg
- Fixed Backcheck Closing speeds from 175 to 15 degrees & 15 to 0 degrees

Cat. No.	Description	1	20
61701200	90° Hold Open	£142.43	
61701000	No Hold Open	£142.43	
46700059	Cover Plate for BTS 75V	£30.77	£28.40

\*Price based on an order quantity of 1 (61701200).



WAS £158.26 NOW FROM ONLY £142.43\*

#### **DORMA GLAS floor spring for BTS 80**

- DORMA GLAS BTS80 fixed power floor spring c/w standard spindle and cement box
- · Adjustable hold open function (can be turned off)
- · Maximum door weight 300 kg
- Fixed Backcheck Closing speeds from 175 to 15 degrees & 15 to 0 degrees

Cat. No.	Description	1	20
80110000	EN 4	£329.99	_
46700000	Cover plate for BTS 80	£38.67	£35.16

\*Price based on an order quantity of 1 (80110000).



WAS £366.66 NOW FROM ONLY **£329 99** 

#### DORMA GLAS floor spring with plug-in axle for BTS 84

- DORMA GLAS BTS84 fixed power floor spring c/w standard spindle and cement box
- · Hold open available on specification
- Maximum door weight 100 kg
- Fixed Backcheck Closing speeds from 175 to 15 degrees & 15 to 0 degrees

Cat. No.	Description	1	20
81100002	EN 3 No Hold Open	£113.99	-
81200002	EN 490° Hold Open	£113.99	_
46700022	Cover Plate for 81100002 & 81200002	£17.55	£16.37

\*Price based on an order quantity of 1 (81100002).



WAS £126.66 NOW FROM ONLY £113.99\*

#### Interchangeable Floor Closer Spindles

- · For use with CRL floor mounted closers
- For use with DORMA GLAS BTS75 Series floor mounted door closer
- For use with Jackson® 900 Series floor mounted door closer
- Seven available heights from 3 to 33 mm
- · Flat tapered type
- · For use with all CRL floor springs



Cat. No.	Description	1	6	48	96
CRL9040S3	3 mm Collar Height Tapered	£6.38	£5.95	£5.55	£5.27
CRL9040S8	8 mm Collar Height Tapered	£6.38	£5.95	£5.55	£5.27

WAS £5.85 NOW FROM ONLY £5.27\* EACH

\*Price based on an order quantity of 96.

#### **Top Door Patch Fitting With Insert**

- 65 mm pivot setback
- 80 kg max door weight
- 1,067 mm max door width
- 2,740 mm max door height
- For 10 to 12 mm glass





1NT303 Insert (included)

Cat. No.	Finish	1	6
PH21ABS	Brushed Stainless	£26.28	£21.90

\*Price based on an order quantity of 6.

### WAS £24.33 NOW FROM ONLY £21.90\*

#### **Bottom Door Patch with 1NT301 Insert**

- 65 mm pivot setback
- For use with floor closer or
- bottom free swing pivots
- For 10 or 12 mm glass
- · Maximum door weight 80 kg
- · Maximum door width 1,067 mm
- $\cdot$  Maximum door height 2,740 mm





1NT303 Insert (included)

Cat. No.	Finish	1	6
PH11CBS	Brushed Stainless	£30.10	£25.07

\*Price based on an order quantity of 6.

WAS £27.86
NOW FROM ONLY
£25.07\*

#### **Wall Mounted Transom Patch** With 1NT300 Insert

· Works with both 70 and 65 mm pivot setback door patch fittings







WAS £33.16 **NOW FROM ONLY** £29.84

Cat. No.	Finish	1	6
PH34BS	Brushed Stainless	£33.18	£29.84

<sup>\*</sup>Price based on an order quantity of 6.

### Sidelite Transom Patch With

- · Works with both 70 and 65 mm pivot setback door patch fittings
- · For 10 or 12 mm glass







WAS £36.80 **NOW FROM ONLY** £33.12°

### 1NT300 Insert

Cat. No.	Finish	1	6
PH40BS	Brushed Stainless	£39.74	£33.12

<sup>\*</sup>Price based on an order quantity of 6.

#### Sidelite Mounted Transom Patch with 1NT310 Insert

- · Used to connect a sidelite and transom together
- For 10 or 12 mm glass







WAS £25.04 **NOW FROM ONLY EACH** 

Cat. No.	Finish	1	6
PH60BS	Brushed Stainless	£27.04	£22.54

\*Price based on an order quantity of 6.

#### **Centre-Hung Free Swinging Top Pivot**

- Surface mount top pivot for use with patch fittings
- · Installs easily to wood or metal substrates

WAS £3.02 **NOW FROM ONLY FACH** 

0.1.11	B 1.0		
Cat. No.	Description		6
1NT401	Centre-Hung Free Swinging Top Pivot	£3.26	£2.72

<sup>\*</sup>Price based on an order quantity of 6.





### **CRL Aluminium Glazing Profiles**



#### **CRL Wet/Dry Glaze U-Channel**

- · Typically used at the bottom of glass panels
- Use with silicone (wet) or glazing gasket (dry) for 10 and 12 mm toughened glass
- 3 m stock lengths
- · Also available in 6 m stock lengths

WAS £34.45 NOW FROM ONLY £29.28\* EACH

Cat. No.	Depth	Finish	1	10
WU1BASL	38 mm	Bright Anodised	£33.67	£31.15
WU1BSASL	38 mm	Brushed Stainless Anodised	£42.28	£38.05
WU2BASL	51 mm	Bright Anodised	£58.45	£52.61
WU2BSASL	51 mm	Brushed Stainless Anodised	£67.70	£60.94
WU3BASL	25.4 mm	Bright Anodised	£32.54	£29.28
WU3BSASL	25.4 mm	Brushed Stainless Anodised	£38.94	£35.05

<sup>\*</sup>Price based on an order quantity of 10 (WU3BASL).

Packing charge added to orders of fewer than 5 assorted lengths of any U-channels.

Cat. No.	Description	1	6
RG38100	Gasket - Used with 10 mm glass	£39.30	£35.73
RG12100	Gasket - Used with 12 mm glass	£29.83	£27.38





To secure 10 mm glass, order gasket RG38100

To secure 12 mm glass, order gasket RG12100



### CRL Clear Glass Joint System 180° Partition Strip

- Provides a clear slimline finish between two glass panels
- Excellent adhesion from pre-applied high bond tape
- · 3 m lengths

WAS £9.32 NOW FROM ONLY £7.92\*





_	_
1	2mm
J	2mm

Cat. No.	Glass Thickness	Glass Type		25	50
EZCC10	10 mm	Toughened	£9.49	£8.66	£7.92
EZCC12	12 mm	Toughened	£9.74	£9.03	£8.32

\*Price based on an order quantity of 50 (EZCC10).

#### CRL Clear Glass Joint System 90° Corner Protection Strip

- Provides a clear slimline finish between two glass panels
- Excellent adhesion from pre-applied high bond tape
- · 3 m lengths

WAS £10.14 NOW FROM ONLY £8.62\* EACH





Cat. No.	Glass Thickness	Glass Type	1	25	50
EZCL10	10 mm	Toughened	£10.44	£9.44	£8.62
EZCL12	12 mm	Toughened	£10.80	£9.74	£8.86

<sup>\*</sup>Price based on an order quantity of 50 (EZCL10).

## \_\_\_\_\_2mm

### CRL Clear Glass Joint System Abutment Strip

- Provides a clear slimline finish between two glass panels
- Excellent adhesion from pre-applied high bond tape
- · 3 m lengths

WAS £10.56 NOW FROM ONLY £8.98\*





5	2mn	n
$\angle$		

Cat. No.	Glass Thickness	Glass Type	1	25	50
EZCE10	10 mm	Toughened	£11.19	£10.38	£8.98
EZCE12	12 mm	Toughened	£12.63	£11.80	£10.11

<sup>\*</sup>Price based on an order quantity of 50 (EZCE10).

### **Paris Balconies**

#### **CRL Fascia Mount Paris Balcony System**

- Height 1,200 mm
- Fixes to brickwork, concrete and steel
- · Tempered laminated glass
- Tested to BS6180:2011
- · Substrate fixings not included
- · Profiles can be cut to size on site



Cat. No.	Glass Thickness	Colour	Max Span	1	5
PAR1S1GR	13.52 & 17.52 mm	Grey RAL 7016	13.52 mm = 1,620 mm, 17.52 mm = 2,150 mm	£83.23	£77.49
PAR1S1M	13.52 & 17.52 mm	Mill Finish	13.52 mm = 1,620 mm, 17.52 mm = 2,150 mm	£86.40	£80.44
PAR1S1W	13.52 & 17.52 mm	White RAL 9016	13.52 mm = 1,620 mm, 17.52 mm = 2,150 mm	£84.61	£78.77
PAR1S2GR	21.52 mm	Grey RAL 7016	2,600 mm	£76.82	£71.52
PAR1S2W	21.52 mm	White RAL 9016	2,600 mm	£78.18	£72.79

£71.52\*

#### **CRL Reveal Mount Paris Balcony System**


- Height 1,200 mm
- $\bullet\,\mathsf{Fixes}\,\mathsf{to}\,\mathsf{brickwork},\mathsf{concrete}\,\mathsf{and}\,\mathsf{steel}$
- Tempered laminated glass
- Tested to BS6180:2011
- Substrate fixings not included
- Profiles can be cut to size on site

Cat. No.	Glass Thickness	Colour	Max Span	1	5
PAR1S3GR	13.52 & 17.52 mm	Grey RAL 7016	13.52 mm = 1,620 mm, 17.52 mm = 2,150 mm	£85.97	£80.04
PAR1S3W	13.52 & 17.52 mm	White RAL 9016	13.52 mm = 1,620 mm, 17.52 mm = 2,150 mm	£87.26	£81.24
PAR1S4GR	21.52 mm	Grey RAL 7016	2,600 mm	£79.55	£74.07
PAR1S4W	21.52 mm	White RAL 9016	2,600 mm	£80.93	£75.35

<sup>\*</sup>Price based on an order quantity of 5 (PARIS4GR).

**£74.07**\*

<sup>\*</sup>Price based on an order quantity of 5 (PARIS2GR).



### **CRL** Posiglaze

#### CRL Posiglaze Surface Mount Base Shoe Kit

#### Kit Includes:

1x Clamp kit to suit specified glass thickness 1x3 m Surface Mount Base Shoe 2x3 m Top Clip

Cat. No.	Glass Thickness	Finish	1
EPGDSV12KIT	12 mm	Brushed Stainless Steel	£251.17
EPGDSV13KIT	13.5 mm	Brushed Stainless Steel	£251.17
EPGDSV15KIT	15 mm	Brushed Stainless Steel	£251.17
EPGDSV17KIT	17.5 mm	Brushed Stainless Steel	£251.17
EPGDSV19KIT	19 mm	Brushed Stainless Steel	£251.17
EPGDSV21KIT	21.5 mm	Brushed Stainless Steel	£251.17
EPGDBL12KIT	12 mm	Black Anodised	£259.29
EPGDBL13KIT	13.5 mm	Black Anodised	£259.29
EPGDBL15KIT	15 mm	Black Anodised	£259.29
EPGDBL17KIT	17.5 mm	Black Anodised	£259.29
EPGDBL19KIT	19 mm	Black Anodised	£259.29
EPGDBL21KIT	21.5 mm	Black Anodised	£259.29

<sup>\*</sup>Price based on an order quantity of 1 (EPGDSV12KIT).



WAS £269.11
NOW ONLY
£251.17
EACH



#### CRL Brushed Stainless Steel 2205 Round Surface Mount Friction Fit Spigot

- 2205 Duplex Stainless Steel
- · Superior corrosion resistance and strength compared to 316 Stainless
- · Friction fit
- · Suitable for 12 mm Toughened Glass
- · Not designed for guard rail applications



WAS £38.82 NOW FROM ONLY £34.94\*

Cat. No.	Glass Thickness	Finish	1	10		
FWCR22BS	12 mm	Brushed Stainless	£42.71	£34.94		
*D: 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						

#### \*Price based on an order quantity of 10

### CRL 2205 Duplex Stainless Steel Surface Mount Friction Fit Spigots

- 2205 Duplex Stainless Steel
- · Superior corrosion resistance and strength compared to 316 Stainless
- Friction fit
- · Suitable for 12 mm Toughened Glass
- · Not designed for guard rail applications

K.
A

WAS £52.46 NOW FROM ONLY £47.21\*

Cat. No.	Glass Thickness	Finish	1	10
FWCS22BS	12 mm	Brushed Stainless	£57.71	£47.21

\*Price based on an order quantity of 10.

### CRL Matte Black Finish Surface Mount Friction Fit Square Spigot

- Made from 316L low carbon marine grade stainless steel
- Friction fit
- · Suitable for 12 mm toughened glass



WAS £55.73 NOW FROM ONLY £50.16\*

Cat. No.	Glass Thickness	Finish	1	10
FWCS20MBL	12 mm	Brushed Stainless	£61.31	£50.16

<sup>\*</sup>Price based on an order quantity of 10


#### 50.8 mm Post Kits and Accessories


- 50.8 mm post kits
- · 316 grade stainless steel
- · Sold as a complete post kit
- · Supplied with 8.76 mm, 10 mm, 10.76 mm and
- 12 mm gaskets and support plate
- · Available in brushed and polished stainless steel
- 2.5 mm material thickness
- 12 mm gaskets pre-installed in clamps (not applicable to EUPR42BBS)
- Overall height including 50.8 mm diameter handrail is 1,105 mm

#### Save time & money














Cat. No.	Description	Finish	1	6
EUPR42ABS	135° Post Kit	Brushed Stainless Steel	£102.93	£96.07
EUPR42APS	135° Post Kit	Polished Stainless Steel	£107.70	£100.59
EUPR42BBS	Blank Post	Brushed Stainless Steel	£51.20	£47.77
EUPR42CBS	Centre Post Kit	Brushed Stainless Steel	£98.50	£91.93
EUPR42CPS	Centre Post Kit	Polished Stainless Steel	£108.81	£101.55
EUPR42EBS	End Post Kit	Brushed Stainless Steel	£72.70	£67.86
EUPR42EPS	End Post Kit	Polished Stainless Steel	£70.83	£66.11
EUPR42LBS	90° Post Kit	Brushed Stainless Steel	£100.20	£93.52
EUPR42LPS	90° Post Kit	Polished Stainless Steel	£98.07	£91.53

£47.77


<sup>\*</sup>Price based on an order quantity of 6 (EUPR42BBS).

#### 3 m Hand Rail Tubing

- For 50.8 mm post kits
- · Sold per 3 metre length
- Used with European post kits
- $\cdot$  1.2 mm material thickness
- · 316 grade stainless steel
- · Available in brushed and polished stainless steel







Cat. No.	Finish	Length	1	6
EUHR20BS	Brushed Stainless Steel	3 m	£48.52	£44.48
EUHR20BS14	Brushed Stainless Steel	4.2 m	£52.55	£48.17
EUHR20PS	Polished Stainless Steel	3 m	£55.22	£50.62

<sup>\*</sup>Price based on an order quantity of 6 (EUHR20BS).

#### **CRL Glass Rail Standoff Base and Cap**

- For use with 12 mm and 19 mm monolithic toughened glass or 13.5 mm and 21.5 mm laminated toughened glass using DuPont™ SentryGlas® Interlayers
- · Designed for steel, wood and concrete substrates
- · One 19 mm diameter hole per fitting
- 51 mm diameter caps
- · 316 grade stainless finish



Cat. No.	Finish	1	20
RSOB2134BS	Brushed Stainless Steel	£30.89	£28.31
RSOB2134PS	Polished Stainless Steel	£38.13	£34.96

<sup>\*</sup>Price based on an order quantity of 20 (RSOB2134BS).

WAS £31.46 NOW FROM ONLY £28.31\*

#### **CRL Langle Adjustable Standoffs**

- · AISI 304 grade stainless steel
- $\bullet$  Salt Spray tested to DIN EN ISO 4628-2 and 4628-3
- Tested to DIN EN ISO 18003-3
- Consisting of: 1 flat cap, 1 spacer, 1 fixing disc 2 EPDM washers, 2 EPDM sleeve, 2 stud bolts M10 (application depending on glass thickness)

WAS £44.06 NOW FROM ONLY £39.65\*



Cat. No.	Diameter	Wall-Glass	Stud Bolt	Glass Thickness	Cut Out	1	20
RSOBA45BS	Ø 45 mm 25	25 25	M10x30	16 - 20 mm	Ø 22 mm	0.40.00	C20 CE
		25 - 35 mm M10x35	M10x35	24 mm	Ø 22 mm	£43.26	£39.65

<sup>\*</sup>Price based on an order quantity of 6.







With daily despatches from our 110,000 square foot facilities your order can be with you quicker than ever.

Orders are shipped daily from the CRL Warehouse via our trusted carriers. Orders are generally received next day.