





Single-Sided


CAT. No. SDK200




CAT. No. SDK206



CAT. No. 19MK



CAT. No. SDK212



Specifications:

Material: Solid brass

Glass Thickness Range: 1/4" (6mm) to 1/2" (12mm) thick glass

Hole Size Required: 1/2" (12mm) diameter

KNOBS



Specifications:


Material: Solid brass

Glass Thickness Range: 1/4" (6mm) to 1/2" (12mm) thick glass


Hole Size Required: 1/2" (12mm) diameter, except SDK410CR which is 3/8" (10mm)

BACK-TO-BACK


CAT. No. SDK100




CAT. No. SDK106




CAT. No. SDK107




CAT. No. SDK118




CAT. No. SDK643



CAT. No. SDK410CR



CAT. No. SDK140



KNOBS



C.R. LAURENCE CO., INC.
 PROFESSIONAL QUALITY

BACK-TO-BACK


Specifications:

Material: Solid brass


Glass Thickness Range: 1/4" (6mm) to 1/2" (12mm) thick glass

Hole Size Required: 1/2" (12mm) diameter


CAT. No. SDK120




CAT. No. SDK109




CAT. No. SDK112




CAT. No. SDK046




CAT. No. SDK075



CAT. No. SDK053



CAT. No. SDK160



KNOBS

4W-8B

C.R. Laurence Co., Inc.
crlaurence.com

For technical assistance in the United States call toll free (800) 421-6144; from Canada call toll free (877) 421-6144; Outside the U.S. and Canada call (323) 588-1281. Ask for Tech Sales at Extension 7740. Toll free fax (800) 458-7496.

© Copyright 2009, C.R. Laurence Co., Inc._SDT21_US